

Technical Sales Sheet

Solvitol High Flashpoint Cleaner/ Degreaser Spray (E-Mec2)

Description

Solvitol E-Mec2 (ELM2) is based on a solvent called Leksol and is ideal for cleaning metal and plastic componentry where a high flash point is desirable.

Applications

Solvitol E-Mec2 is suitable for use on Electrical switch gear and contacts as well as on many plastic surfaces, although it is advisable to check compatibility first. It can also be used as a metal degreaser as well as a fabric spot remover (check for colour fastness etc first).

Benefits

- * High flashpoint.
- * Non conductive.
- * Quick drying.
- * High solvency power.
- * Dries residue free.
- * Easy to apply spray application.
- * Available in a 300gram aerosol.

Technical Data

Appearance : Clear colourless liquid
Flashpoint : 73 degrees C
Propellant : 134A (non flammable gas)

Pack Sizes: -

Aerosol 12 x 300gram box

Directions for Use

Aerosol - Use in a well ventilated area, apply to area required and wipe off if required.
Caution - Ensure adequate ventilation. Test plastic, painted or varnished and fabric compatibility before use.

Health and Safety

Health & Safety Information is available from the Sales Department of: -
Solvitol Ltd. Portobello Industrial Estate, Birtley, Co. Durham. DH3 2RE. Fax 01914920503

Where tolerances are not stated, figures are typical of normal production. Whilst every care is taken to ensure the accuracy of the material contained in the bulletin, the technical data is provided for information only. The buyer shall use its own skill and judgement to satisfy it that the products are suitable for the buyer's purposes. The entire liability of Solvitol Limited in relation to the products shall be set out in Solvitol Limited conditions of sale, which are hereby incorporated into this bulletin. Solvitol Limited can assume no liability for the information given. 6/04