

Technical Sales Sheet

Solvitol Environweld Anti Spatter Spray

Description

Solvitol Environweld Anti Spatter is a specially formulated product for use to prevent the adhesion of spatter during the welding process. It has been produced with the requirements of the modern welder in mind. It is as health and safety conscious as possible as well as being an effective product.

Applications

Solvitol Environweld Anti Spatter uses "Bag on Valve" technology which offers 360 degree action, 500ml of usable product, contains no carcinogenic solvents, readily biodegradable and causes no unpleasant fumes during use.

Benefits

- * Silicone and mineral oil free.
- * Bag on valve technology.
- * 360 degree action.
- * Contains no chlorinated solvents.
- * Environmentally friendly.
- * Readily biodegradable.
- * Neutral formulation will not cause oxidisation (rust)
- * No unpleasant fumes in use.
- * 500ml of active product.
- * Easy to apply spray application.
- * Available in a 400ml aerosol.

Technical Data

Appearance	: Clear, colourless liquid.
Contents	: An aqueous blend of detergents, soaps and inhibitors.
Flashpoint	: Non flammable.

Pack Sizes: -

Aerosol 12 x 500ml box

Directions for Use

Aerosol - Apply a thin film of the product to the work surface or welding nozzle from around 12 inches.

Health and Safety

Health & Safety Information is available from the Sales Department of: -
Solvitol Ltd. Portobello Industrial Estate, Birtley, Co. Durham. DH3 2RE. Fax 01914920503

Where tolerances are not stated, figures are typical of normal production. Whilst every care is taken to ensure the accuracy of the material contained in the bulletin, the technical data is provided for information only. The buyer shall use its own skill and judgement to satisfy it that the products are suitable for the buyer's purposes. The entire liability of Solvitol Limited in relation to the products shall be set out in Solvitol Limited conditions of sale, which are hereby incorporated into this bulletin. Solvitol Limited can assume no liability for the information given.